AMERICAN COLLEGE OF SURGEONS • DIVISION OF EDUCATION
ACCREDITED EDUCATION INSTITUTES
ENHANCING PATIENT SAFETY THROUGH SIMULATION
*Accredited Education Institute*

ROEYA
Training Center

# Endo BulVision

# Endo BulVision Master Edition 2026

November 6-7, 2026

Medical University - Pleven,

Telecommunication Endoscopic Center (TELEC)


OLYMPUS®


FUJIFILM


VIATRIS


erbe


Boston
Scientific


MICRO
ECIVE
D


NESTMAR MEDICAL

# OUR VISION. OUR FACULTY.

*EndoBulvision International Masterclass Beyond Education. Beyond Boundaries. Towards Excellence. A Vision That Inspires EndoBulvision was born from the belief that education has the power to transform not only individual careers, but the future of medicine itself. The EndoBulvision International Masterclass is more than an educational event. It is a meeting point for expertise, ambition, and inspiration — bringing together distinguished international experts and passionate physicians who share a vision of advancing endoscopy. Our Mission Our mission is to create an international platform where knowledge knows no borders, expertise is shared, and the next generation of endoscopists is inspired to reach new heights. We believe that true excellence grows through mentorship, collaboration, and the courage to push beyond established boundaries. Together, we do more than advance endoscopy. We inspire those who will shape its future. EndoBulvision — Where Knowledge Meets Inspiration and the Future Begins.*

**Mostafa Ibrahim,**
MD,Phd,FACG,MWGO,FRCP(Glasg)
Professor of Gastroenterology & Hepatology
ESGE Member Society Councillor
Founder, ROEYA
Co-Director, WGO Cairo Training Center





**Zornitsa Gorcheva,**
MD, PHD,
Medical University Pleven
Founder & Course Director, EndoBulvision
Head of the Clinic of Gastroenterology,
University Hospital Saint Marina
President of Association of Young
Hepatogastroenterologists, Bulgaria



**Matteo Tacelli**
Gastroenterologist (MD-PhD),
Pancreato-biliary Endoscopy and EUS Division,
*IRCCS San Raffaele Scientific Institute*
*Pancreas Translational and Clinical Research Center*



**Alessandro Rimondi**
MD, Gastroenterologist and GI endoscopist
*Fondazione I.R.C.C.S. Policlinico San Matteo Pavia*
*Università degli Studi di Milano*



**Wafaa Khannoussi**
MD, MBA , Professor of Gastroenterology,
HPB Interventional Endoscopy,
Endoscopy center management,
Healthcare Simulation center management
*Casablanca Metropolitan Area*



**Alexander Katzarov**
MD, PhD, Assoc. professor of Gastroenterology,
President of the Bulgarian Gastroenterology Society
*Military Medical Academy, Sofia, Bulgaria*



**Petko Karagyozov**
MD, PhD, FASGE, Professor of Gastroenterology,
Head of the Clinic of Gastroenterology,
*Acibadem City Clinic Tokuda Hospital, Sofia, Bulgaria*

# Endo BulVision Programs

## Program 1: Resection Techniques (Polypectomy, EMR, ESD)

**Day 1 (Friday, 06.11)**

| Time | Activity | Speaker | Hall |
|---|---|---|---|
| **09.30-10.00** | Registration | | |
| **10.00-10.15** | Opening Ceremony | Zornitsa Gorcheva | Ambroise Paré Hall |
| **10.15-10.30** | Polypectomy Techniques: Cold Snare, Hot Snare and EMR for Small Polyps | Zornitsa Gorcheva | Ambroise Paré Hall |
| **10.30-10.45** | Management of Difficult and Large Colorectal Polyps | Alexander Katzarov | Ambroise Paré Hall |
| **10.45-11.00** | Prevention and Management of Colonoscopy & Polypectomy Complications | Alexander Katzarov | Ambroise Paré Hall |
| **11.00-11.30** | Coffee break | | |
| **11.30-13.00** | Session I – Resection Techniques Hands-on | | TELEC |
| **13.00-14.00** | Lunch break | | |
| **14.00-16.00** | Session II – Resection Techniques Hands-on | | TELEC |
| **20.00-22.00** | Official dinner | | |

**Day 2 (Saturday, 07.11)**

| Time | Activity | Speaker | |
|---|---|---|---|
| **09.00-09.15** | Lesion Assessment and Optical Diagnosis Before Resection | Alexander Katzarov | Ambroise Paré Hall |
| **09.15-09.30** | Advanced ESD Techniques: Tips and Tricks | Alessandro Rimondi | Ambroise Paré Hall |
| **09.30-09.45** | Management of Adverse Events Following EMR & ESD | Alessandro Rimondi | Ambroise Paré Hall |
| **09.45-10.30** | Coffee break | | |
| **10.30-12.00** | Session III – Resection Techniques Hands-on | | TELEC |
| **12.00-12.45** | Lunch break | | |
| **12.45-14.30** | Session IV – Resection Techniques Hands-on | | TELEC |
| **14.30-15.00** | Closing Ceremony | | |

# Endo BulVision Programs

## Program 2: Mastering Interventional EUS

**Day 1 (Friday, 06.11)**

| Time | Activity | Speaker | Hall |
|---|---|---|---|
| **09.30-10.00** | Registration | | |
| **10.00-10.15** | Opening Ceremony | Zornitsa Gorcheva | Ambroise Paré Hall |
| **10.15-10.30** | Fundamentals of Interventional EUS | Wafaa Khannoussi | Galen Hall |
| **10.30-10.45** | EUS-Guided Tissue Acquisition: FNA vs FNB | Matteo Tacelli | Galen Hall |
| **10.45-11.30** | Coffee break | | |
| **11.30-13.00** | Session I – EUS-Hands-On | | TELEC |
| **13.00-14.00** | Lunch break | | |
| **14.00-16.00** | Session II – EUS-Hands On | | TELEC |
| **20.00-22.00** | Official dinner | | |

**Day 2 (Saturday, 07.11)**

| Time | Activity | Speaker | Hall |
|---|---|---|---|
| **09.00-09.15** | EUS-Guided Pancreatic Cyst Drainage: Indications and Techniques | Wafaa Khannoussi | Galen Hall |
| **09.15-09.30** | Troubleshooting and Management of EUS-Related Complications | Matteo Tacelli | Galen Hall |
| **09.30-10.30** | Coffee break | | |
| **10.30-12.00** | Session III – EUS-Hands-on | | TELEC |
| **12.00-12.45** | Lunch break | | |
| **12.45-14.30** | Session IV – EUS- Hands-on | | TELEC |
| **14.30-15.00** | Closing ceremony | | |

# Endo BulVision Programs

## Program 3: Mastering ERCP

**Day 1 (Friday, 06.11)**

| Time | Activity | Speaker | Hall |
|---|---|---|---|
| **09.30-10.00** | Registration | | |
| **10.00-10.15** | Opening ceremony | Zornitsa Gorcheva | Ambroise Paré Hall |
| **10.15-10.30** | Updates in ERCP Indications: Navigating Diagnostic vs. Therapeutic Dilemmas | Mostafa Ibrahim | TELEC |
| **10.30-10.45** | Complications in ERCP: A Systematic Approach to Risk Reduction and Management | Petko Karagyozov | TELEC |
| **10.45-11.00** | ERCP in altered anatomy and difficult cannulation – tips for experts | Petko Karagyozov | TELEC |
| **11.00-11.30** | Coffee break | | |
| **11.30-13.00** | Session I – ERCP Hands-on | | TELEC |
| **13.00-14.00** | Lunch break | | |
| **14.00-16.00** | Session II – ERCP Hands-on | | TELEC |
| **20.00-22.00** | Official dinner | | |

**Day 2 (Saturday, 07.11)**

| Time | Activity | Speaker | Hall |
|---|---|---|---|
| **09.00-09.15** | Navigating Complex Biliary Stones: Advanced Extraction Techniques and Lithotripsy | Mostafa Ibrahim | TELEC |
| **09.15-09.30** | The Essentials of ERCP Stenting: Principles, Techniques, and Successful Deployment | Petko Karagyozov | TELEC |
| **09.30-09.45** | Hilar Malignancies: Decision Making for Biliary Drainage | Petko Karagyozov | TELEC |
| **09.45-10.30** | Coffee break | | |
| **10.30-12.00** | Session III – ERCP Hands-on | | TELEC |
| **12.00-12.45** | Lunch break | | |
| **12.45-14.30** | Session IV – ERCP Hands-on | | TELEC |
| **14.30-15.00** | Closing ceremony | | |



S-adenosylmethionine

# Transmetil®

500 mg gastro-resistant tablets
500 mg powder and solvent for solution for injection

## ДОВЕРИЕ НЕПРЕХОДНО ВЪВ ВРЕМЕТО[1]

- Подобрение в биохимичните маркери при пациенти с интрахепатална холестаза и хронично чернодробно заболяване*[2,3,4,5]
- Облекчаване на типичните симптоми на интрахепатална холестаза като иктер, пруритус и умора[4,5]
- Единствената инжекционна форма 500 mg ademetionine в България[1]

*Transmetil® е показан за лечение на възрастни с интрахепатална холестаза при прецирозни и цирозни състояния; лечение на възрастни с интрахепатална холестаза по време на бременност.

**Референции: 1.** IQVIA data Dec 2025, Bulgarian market. **2.** Saigal S, et al. Ademetionine in patients with liver disease: a review. Int J Res Med Sci. 2019;7(6):2482-2493. **3.** Ivashkin V, et al. Open-label study of ademetionine for the treatment of intrahepatic cholestasis associated with alcoholic liver disease. Minerva Gastroenterologica e Dietologica 2018 September;64(3):208-19. **4.** Virukalpattigopalratnam MP, et al. Heptral® (ademetionine) in patients with intrahepatic cholestasis in chronic liver disease due to non-alcoholic liver disease: results of a multicentre observational study in India. J Indian Med Assoc.2013;111(12):856-9. **5.** Fiorelli G, S-Adenosylmethionine in the treatment of intrahepatic cholestasis of chronic liver disease: A field trial. Current Therapeutic Research Vol. 60, No. 8, Aug 1999

**Лекарствена форма:** 500 mg стомашно-устойчиви таблетки; 500 mg прах и разтворител за инжекционен разтвор. **Количествен и качествен състав:** една таблетка съдържа 500 mg адеметионин; един флакон с лиофилизиран прах съдържа 500 mg адеметионин. **Показания:** лечение на възрастни с интрахепатална холестаза при прецирозни и цирозни състояния; лечение на възрастни с интрахепатална холестаза по време на бременност. **Дозировка:** лечението може да започне с инжекционната форма и да продължи с таблетната форма или да започне директно с таблетна форма; инжекционна форма – начално лечение: препоръчителната дозировка е 5-12 mg/kg дневно интравенозно или интрамускулно; обичайната начална доза е 500 mg/ден интравенозно или интрамускулно, като общата дневна доза не трябва да надхвърля 1 000 mg за 2 седмици; таблетна форма – начално лечение: препоръчителната дозировка е 10-25 mg/kg/ден приета перорално; обичайната начална доза е 800 mg/ден, като общата дневна доза не трябва да надхвърля 1 600 mg; поддържащо лечение: 800 до 1 600 mg дневно, приети перорално; ефективността и безопасността при деца не са установени; фармакокинетичните параметри при здрави доброволци и пациенти с хронично чернодробно заболяване са подобни; при пациенти с бъбречно увреждане приложението да става с повишено внимание; при пациенти в старческа възраст лечението трябва да се започне от ниските дози. **Противопоказания:** пациенти с генетичен дефект, засягащ метиониновия цикъл и/или причиняващ хомоцистинурия и/или хиперхомоцистеинемия (напр. цистационин-бета-синтетазен дефицит, дефект на метаболизма на витамин B12); свръхчувствителност към активното вещество или към някое от помощните вещества. **Специални предупреждения и предпазни мерки за употреба:** да се наблюдават нивата на амоняк при прецирозни и цирозни състояния; при дефицит на витамин B12 и/или фолати се препоръчва лечение с витамин B12 и/или фолати преди или едновременно с приема на адеметионин; не се препоръчва при пациенти с биполярна болест; има данни за преходна или влошаваща се тревожност при пациенти, които са лекувани с Трансметил. **Взаимодействие с други лекарствени продукти:** повишено внимание при комбинирано приемане със селективни инхибитори на обратното захващане на серотонина (SSRI), трициклични антидепресанти (като кломипрамин) и лекарства, отпускани без рецепта и хранителни добавки, съдържащи триптофан. **Фертилитет, бременност и кърмене:** препоръчва се да се прилага в първите три месеца на бременността само ако това е абсолютно необходимо; да се прилага в периода на кърменето само ако потенциалната полза надвишава риска за кърмачето. **Нежелани лекарствени реакции:** *чести (≥1/100 до <1/10)* - коремна болка, диария, гадене, главоболие, безпокойство, безсъние, пруритус; *нечести (≥1/1 000 до <1/100)* - сухота в устата, диспепсия, метеоризъм, стомашно-чревна болка, стомашно-чревно кървене, стомашно-чревни нарушения, повръщане, астения, оток, пирексия, втрисане, реакции на мястото на инжектиране, некроза на мястото на инжектиране, свръхчувствителност, анафилактоидни или анафилактични реакции (напр. зачервяване на лицето, диспнея, бронхоспазъм, болка в гърба, дискомфорт в гърдите, промени в кръвното налягане (хипотония, хипертония) или честотата на пулса (тахикардия, брадикардия)), инфекции на пикочните пътища, артралгия, мускулни спазми, замайване, парестезия, дисгеузия, възбуда, състояние на объркаността, оток на ларинкса, хиперхидроза, ангиоедем, алергични кожни реакции (напр. обрив, сърбеж, уртикария, еритема), горещи вълни, хипотония, флебит; *редки (≥1/10 000 до <1/1 000)* - подуване на корема, езофагит, физическо неразположение.

По лекарско предписание!
Моля, прочетете кратката характеристика на продукта преди да предпишете Transmetil®.
За пълна информация: Виатрис ЕООД, София 1505, бул. Ситняково 48, ет. 7, Офис сграда „Сердика Офиси“, тел. +359 2 4455 400

BG-TRA-06 (01/2026)
Уведомление: ИАЛ-20545/15.05.2026

VIATRIS